

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11454	administrator\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:45
L2	0	administrator\$1 near15 request\$4 near10 context\$5 near5 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:46
L3	2	administrator\$1 near15 request\$4 near5 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:46
L4	298	(administrator\$1 or user\$1) near15 request\$4 near5 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:51
L5	0	(administrator\$1 or user\$1) near15 request\$4 near10 context\$5 near5 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:47
L6	0	dialog\$4 near5 request\$4 near10 context\$5 near5 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:47
L7	2	dialog\$4 near5 request\$4 near10 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:48

## EAST Search History

L8	224	dialog\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:52
L9	8	request\$4 near15 dialog\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:48
L10	36	(administrator\$1 or user\$1) near15 request\$4 near5 (alert\$1 or alarm\$1) same dialog\$4 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:52
L11	0	(administrator\$1 or user\$1) near15 request\$4 near5 context near10 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:52
L12	0	(administrator\$1 or user\$1) near15 request\$4 near5 context\$4 near10 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:52
L13	145	(administrator\$4 or user\$1) near15 dialog\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:53
L14	38517748	not l10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:53

## EAST Search History

L15	110	(administrator\$4 or user\$1) near15 dialog\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715") not l10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:53
L16	88	(administrator\$4 or user\$1) near15 dialog\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:06
L17	0	(administrator\$4 or user\$1) near15 dialog\$4 near10 question\$1 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:57
L18	14	(administrator\$4 or user\$1) near10 question\$1 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:58
L19	43	(administrator\$4 or user\$1) near10 quer\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:58
L20	2	(administrator\$4 or user\$1) near10 dialog\$4 near6 quer\$4 near15 (alert\$1 or alarm\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 10:58
L21	0	dialog\$4 near15 request\$4 near15 context\$4 near10 (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:08

## EAST Search History

L22	2	dialog\$4 near15 context\$4 near10 (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:08
L23	10	dialog\$4 near15 request\$4 near15 (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:12
L24	276	dialog\$4 near15 (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:13
L25	21	dialog\$4 near15 (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715") not l10 and monitor\$4 and (alert\$4 or alarm\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:18
L26	89	dialog\$4 near15 request\$5 same (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:18
L27	23	dialog\$4 near15 request\$5 near15 (alert\$1 or alarm\$1 or failure\$1 or condition\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 11:19
L28	13	dialog\$4 near15 request\$5 and 709/224.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:41

## EAST Search History

L29	0	dialog\$4 near15 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) near3 condition\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:41
L30	10	dialog\$4 near15 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:41
L31	4	dialog\$4 near15 request\$5 and 709/224.ccls. and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:42
L32	0	administrator\$1 near15 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/224.ccls. and. (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:43
L33	1	administrator\$1 near15 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:43
L34	273	request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:43
L35	42	user\$1 near10 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:54

## EAST Search History

L36	0	user\$1 near10 request\$5 near15 context near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:49
L37	0	user\$1 near10 request\$5 near15 descri\$6 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:49
L38	0	request\$5 near15 descri\$6 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:49
L39	37	request\$5 near15 descri\$6 near15 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:50
L40	0	administrator\$1 near10 request\$5 near15 descri\$6 near15 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:50
L41	42	user\$1 near10 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:25
L42	3	user\$1 near10 request\$5 near15 (more or addition\$2) near10 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:05

## EAST Search History

L43	46	(receiv\$4 or generat\$4) near15 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and 709/22\$1.ccls. and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:24
L44	119	(receiv\$4 or generat\$5) near15 user\$1 near10 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:37
L45	2	(receiv\$4 or generat\$5) near15 user\$1 near10 request\$5 near15 (additional or more or descri\$6) near15 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:26
L46	650	user\$1 near10 request\$5 near15 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:37
L47	22	user\$1 near10 request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:40
L48	316	request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:41
L49	55	receiv\$4 near15 request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:41

## EAST Search History

L50	55	receiv\$4 near15 request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:46
L51	296	request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:46
L52	0	administrator\$1 near15 request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:46
L53	31	operator\$1 near14 request\$5 near15 (more or addition\$4) near10 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:48
L54	488	request\$5 near10 information\$1 near5 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:53
L55	109	receiv\$4 near10 request\$5 near10 information\$1 near5 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:54
L56	109	receiv\$4 near10 request\$5 near10 information\$1 near5 (alarm\$4 or alert\$4 or failure\$1) and (@ad<"19970715" or @rlad<"19970715") and (alarm\$4 or alert\$4 or failure\$1) not l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:54